


Joie™

1/2/3(9-36kg)

transcend™

high back booster

- GB Instruction Manual
- DE Bedienungsanleitung
- PT Manual de Instruções
- ES Manual de instrucciones
- FR Manuel d'instructions
- NL Handleiding
- TR Kurulum Kılavuzu
- AR دليل التعليمات





Welcome to Joie™

Congratulations on becoming part of the Joie family! We are so excited to be part of your journey with your little one. While traveling with Joie transcend™ series high back booster you are using a high quality, fully certified safety Group 1/2/3 booster. This product is suitable for use with children weighing 9-36kg (approximately 9 months - 12 years). Please carefully read this manual and follow each step to ensure a comfortable ride and best protection for your child.


Please confirm

This booster is approved to UN ECE regulation 44, 04 series of amendments. This booster can be installed using a 3 point retractable adult seat belt approved to UN ECE regulation 16 or other equivalent standards.

Booster

! IMPORTANT: KEEP FOR FUTURE REFERENCE. PLEASE READ CAREFULLY.


Please keep the instruction manual in the storage compartment at the bottom of the booster as right figure.



Parts List

Make sure all parts are available before assembly. If any part is missing, please contact local retailer. No tools are required for assembly.

- | | | | |
|---|----------------------------------|----|--------------------------------|
| 1 | Head Support | 6 | Armrest |
| 2 | Lower Back Support | 7 | Head Support Adjustment Lever |
| 3 | Pillow Cushion | 8 | Side Impact Shield |
| 4 | Seat | 9 | Latch Connector |
| 5 | Pillow Cushion Adjustment Button | 10 | Latch Guides |
| | | 11 | Pillow Cushion Soft Goods (2x) |
| | | 12 | Insert |



WARNING

- ! Do take care to locate and install the booster so that it is not liable to become trapped by a moveable seat or in a door of the vehicle.
- ! This booster is designed **ONLY** for child weighing 9-36kg (approximately 9 months – 12 years or under).
- ! Any straps of vehicle seat should be tightened and not twisted.
- ! Failure to properly use this booster increases the risk of serious injury or death in a sharp turn, sudden stop or crash.
- ! **DO NOT** use another manufacturers soft goods with this booster. See your retailer for Joie replacement parts only.
- ! **DO NOT** use in any configuration not shown in the instructions.
- ! According to accident statistics, children are safer when properly restrained in rear vehicle seating positions, rather than front seating positions. For a vehicle with a front passenger air bag, refer to your vehicle owner's manual as well as these instructions for a booster installation.
- ! **NEVER** leave your child unattended.
- ! **NEVER** give this booster to someone else without also giving them this manual.

WARNING

- ! After your child is placed in this booster, the safety belt must be used correctly, and ensure that any lap strap is worn low down, so that the pelvis is firmly engaged.
- ! **NEVER** leave a booster unsecured in your vehicle. An unsecured booster can be thrown around and may injure occupants in a sharp turn, sudden stop or crash. Remove it or make sure that it is securely belted in the vehicle.
- ! **NEVER** leave luggage or other objects unsecured in a vehicle, they are liable to cause injuries in the event of a collision.
- ! Replace the booster after an accident of any kind. An accident can cause damage to the booster that you cannot see.
- ! **DO NOT** modify your booster or use any accessories or parts supplied by other manufacturers.
- ! **NEVER** use a booster if it has damaged or missing parts. **DO NOT** use a cut, frayed or damaged vehicle seat belt.
- ! The booster can become very hot if left in the sun. Contact with these parts can burn your child's skin. Always touch the surface of any metal or plastic parts before putting your child in the booster.

WARNING

- ! **NEVER** use a second-hand booster or a booster whose history you do not know.
- ! **DO NOT** use this booster without the soft goods.
- ! **The soft goods should not be replaced with any besides the ones recommended by the manufacturer, because the soft goods constitute an integral part of the booster performance.**
- ! **DO NOT** use any load bearing contact points other than those described in the instructions and marked on the booster.
- ! **DO NOT** face your booster toward the rear of the vehicle.

Emergency

In case of emergency or accidents, it is most important to have your child taken care of with first aid and medical treatment immediately.

Product Information

Read all the instructions in this manual before using this product. If in doubt, consult either the booster manufacturer or the retailer.

For Installation with 3-point-belt

1. This booster is a 'Universal' child restraint. It is approved to UN ECE regulation 44, 04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.
2. A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook that the vehicle is capable of accepting a 'Universal' for this age group.
3. This booster has been classified as 'Universal' under more stringent conditions than those which applied to earlier designs which do not carry this notice.

For Installation with Latch System and 3-point-belt



1. This booster is a 'Semi-Universal' child restraint. It is approved to UN ECE regulation 44, 04 series of amendments for general use in vehicles fitted with ISOFIX anchorages systems.
2. It will fit vehicles with positions approved as ISOFIX positions (as detailed in the vehicle handbook), depending on the category of the booster and of the fixture.
3. If in doubt, consult either the booster manufacturer or vehicle manufacturer.

Product	Booster
Suitable for	Child weighing 9-36kg (approximately 9 months – 12 years)
Mass Group	Group 1/2/3

Use Side Impact Shield


see images ① - ②

! Must open the side impact shield plastic to protect the child more safely. The side impact shield not on the same side of the vehicle door can be closed to allow more seating space.




Adjust the seat

see images ③



Adjust the Pillow Cushion

see images ④



Height Adjustment – for Head Support





see images ⑤

! Increase the space between the side wings by adjusting the head support positions upward.



Concerns on Installation

see images 6 - 9



Installation with 3-point belt




see images 10 - 23

If vehicle is equipped with ISOFIX, the vehicle lower anchor points may be visible at the vehicle seat crease. See your vehicle owner's manual for exact locations, anchor identification, and requirements for use.

1. Fit the latch guides with the ISOFIX anchor points. ¹⁰ The latch guides can protect the surface of the vehicle seat from being torn. They can also guide the latch connectors.

2. Press the latch adjusting button to pull out the latch connectors. ¹¹

Rotate the latch connectors 180 degrees until they are pointing in the direction of the latch guides. ¹²



3. Line up the latch connectors with the latch anchor points, and then click both latch connectors into the latch anchor points. **13**




! Make sure that both latch connectors are securely attached to their latch anchor points. The colors of the indicators on the both latch connectors should be completely green. **13 -1**

! Check to make sure the booster is securely installed by pulling on the both latch connectors.

4. To remove the booster:

a. Press the secondary lock button **14 -1** first and then the button **14 -2** on the latch connectors before removing the booster from the vehicle seat.

b. Rotate the latch connectors by 180 degrees, then press the latch adjusting button to fold the latch connectors. **15**




Use Pillow Cushion

(Forward Facing Mode/ for Child between 9-18kg / 9 months – 4 years old)

see images **18**

! Pull the vehicle safety belt and pass through the belt path **18**, and then buckle it up. **18 -1**

- ! The booster can not be used if the vehicle safety belt buckle (female buckle end) is too long to anchor the booster securely. 18 -2
- ! To ensure the correct head support height is obtained, the bottom of the headrest **MUST** be even with the top of child's shoulders as shown in 18 -3
- ! Make sure that both lap belt and shoulder belt are always tightly fastened.
- ! When the pillow cushion is not used, please remove and store it properly.
- ! Belt must not be twisted.




For Use Without Pillow Cushion

(Forward Facing Mode/ for Child between 15-36kg / 3-12 years old)

see images 19 - 23

- ! Pull the vehicle safety belt and pass through the belt path 19, and then buckle it up. 19 -3



- ! Position shoulder belt through the shoulder belt guide shown in 19 -1

- ! **DO NOT** position vehicle belt over top of the armrests. It must pass underneath the armrests. 19 -2


- ! The booster can not be used if the vehicle safety belt buckle (female buckle end) is too long to anchor the booster securely. 19 -4

- ! The lap belt must be low down on hips. The booster is shown as 19

- ! To ensure the correct head support height is obtained, the bottom of the headrest **MUST** be even with the top of child's shoulders as shown in 20 and the shoulder belt must be positioned in the red zone as shown in 21







- ! Place a booster firmly against the back of a forward-facing vehicle seat equipped with a lap/shoulder belt.
- ! Have your child sit in a booster with their back flat against back of a booster.
- ! NOT as shown in 23. Fasten buckle and pull up on the shoulder belt to tighten. 22
- ! If the belt lays across child neck, head or face, readjust head support height.
- ! Belt must not be twisted.





- ! After removing the wedge of insert, please store it somewhere that the child can not access it. 29

To refit the seat pad simply reverse the steps above.



Detach Soft Goods


see images 24 - 29



Assemble Insert

see images 30

- ! Please use the insert to support the child if the child shoulders are lower than the headrest bottom edge.





Assemble Pillow Cushion Cover

see images 31 - 32

An extra pillow cushion cover is included for replacement when the other one is removed for cleaning.

- ! Make sure to properly fit the cover so that the foam will not be exposed.



Care and Maintenance

- ! Please wash the soft goods and inner padding with cold water under 30°C.
- ! Do not iron the soft goods.
- ! Do not bleach or dry clean the soft goods.
- ! Do not use undiluted neutral detergent, gasoline or other organic solvent to wash the booster. It may cause damage to the booster.
- ! Do not twist the soft goods and inner padding to dry with great force. It may leave the soft goods and inner padding with wrinkles.
- ! Please hang dry the soft goods and inner padding in the shade.
- ! Please remove the booster from the vehicle seat if not in use for a long period of time. Put the booster in a cool, dry place and somewhere your child cannot access it.

